

Safety Data Sheet
SafePaint (Milk Paint for Walls and More)

SDS Revision Date:

07/02/2015



1. Identification

1.1. Product identifier

Product Identity

SafePaint (Milk Paint for Walls and More)

Alternate Names

SDS number OFMP-1

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use

See Technical Data Sheet.

Application Method

See Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name

The Old Fashioned Milk Paint Co., Inc.
436 Main Street P.O. Box 222
Groton, MA 01450-0222

Emergency

24 hour Emergency Telephone No.

(978) 448-6336

Customer Service: The Old Fashioned Milk Paint Co., Inc.

Telephone No: (978) 448-6336

Fax No: (978) 448-2754

www.milkpaint.com

2. Hazard(s) identification

2.1. Classification of the substance or mixture

No applicable GHS categories.

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.

No applicable GHS categories.

[Prevention]:

No GHS prevention statements

[Response]:

No GHS response statements

[Storage]:

No GHS storage statements

[Disposal]:

No GHS disposal statements

3. Composition/information on ingredients

Safety Data Sheet

SafePaint (Milk Paint for Walls and More)

SDS Revision Date:

07/02/2015



This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Trade Secret (1) CAS Number: Proprietary	25 - 50	Combustible Dust	[1]
Natural Clay Fillers CAS Number: Proprietary	25 - 50	Not Classified	[1][2]
Caseins, sodium complexes CAS Number: 0009005-46-3	10 - 25	Not Classified	[1]
Trade Secret (2) CAS Number: Proprietary	1.0 - 10	Aquatic Acute 1;H400 Aquatic Chronic 1;H410	[1][2]
Calcium hydroxide (Ca(OH)2) CAS Number: 0001305-62-0	1.0 - 10	Skin Irrit. 2;H315 Eye Dam. 1;H318 STOT SE 3;H335	[1][2]

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

[1] Substance classified with a health or environmental hazard.

[2] Substance with a workplace exposure limit.

[3] PBT-substance or vPvB-substance.

*The full texts of the phrases are shown in Section 16.

4. First aid measures

4.1. Description of first aid measures

General

In all cases of doubt, or when symptoms persist, seek medical attention.
Never give anything by mouth to an unconscious person.

Inhalation

Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious place in the recovery position and obtain immediate medical attention. Give nothing by mouth.

Eyes

Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.

Skin

Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.

Ingestion

If swallowed, call a physician immediately. Remove stomach contents by gastric suction or induce vomiting only as directed by medical personnel.

4.2. Most important symptoms and effects, both acute and delayed

Overview

No specific symptom data available.

The usual small quantities for household use do not present any hazard unless ingested.
See section 2 for further details.

5. Fire-fighting measures

5.1. Extinguishing media

For dry product use water or carbon dioxide. Product does not burn.

Safety Data Sheet
SafePaint (Milk Paint for Walls and More)

SDS Revision Date:

07/02/2015



5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: No hazardous decomposition data available.

5.3. Advice for fire-fighters

No special procedures required. The product, as distributed, is noncombustible.

ERG Guide No. ----

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Stop the leak, if possible. Ventilate the space involved. Sweep up or vacuum and place in an appropriate waste container. Wash contaminated property thoroughly. Large commercial spills may require a vacuum truck.

7. Handling and storage

7.1. Precautions for safe handling

See section 2 for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Avoid contact with moisture/water until ready to use. Keep unused dry product in moisture proof container. Wash thoroughly after handling. Use common sense and good manufacturing practices.

Incompatible materials: Incompatible with strong acids and alcohols (ethanol)

See section 2 for further details. - [Storage]:

7.3. Specific end use(s)

No data available.

8. Exposure controls and personal protection

8.1. Control parameters

Exposure

CAS No.	Ingredient	Source	Value
0001305-62-0	Calcium hydroxide (Ca(OH) ₂)	OSHA	TWA 15 mg/m ³ (total) 5 mg/m ³ (resp)

Safety Data Sheet

SafePaint (Milk Paint for Walls and More)

SDS Revision Date:

07/02/2015



		ACGIH	TWA: 5 mg/m ³
		NIOSH	TWA 5 mg/m ³
		Supplier	No Established Limit
0009005-46-3	Caseins, sodium complexes	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit
Proprietary	Natural Clay Fillers	OSHA	TWA 20 mppcf
		ACGIH	TWA: 3 mg/m ³
		NIOSH	TWA 3 mg/m ³ (resp)
		Supplier	No Established Limit
Proprietary	Trade Secret (1)	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit
Proprietary	Trade Secret (2)	OSHA	TWA 5 mg/m ³ (fume) TWA 15 mg/m ³ (total dust) TWA 5 mg/m ³ (resp dust)
		ACGIH	TWA: 2 mg/m ³ STEL: 10 mg/m ³ A1, 1, Revised 2003,
		NIOSH	No Established Limit
		Supplier	No Established Limit

Carcinogen Data

CAS No.	Ingredient	Source	Value
0001305-62-0	Calcium hydroxide (Ca(OH) ₂)	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
0009005-46-3	Caseins, sodium complexes	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
Proprietary	Natural Clay Fillers	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: Yes; Group 3: No; Group 4: No;
Proprietary	Trade Secret (1)	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
Proprietary	Trade Secret (2)	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;

8.2. Exposure controls

Safety Data Sheet
SafePaint (Milk Paint for Walls and More)

SDS Revision Date:

07/02/2015



Respiratory	Not required under normal conditions in a well ventilated workplace. A drywall dust mask or (NIOSH) approved respirator for fine dust is recommended under emergency conditions.
Eyes	Chemical safety glasses are recommended.
Skin	No specific body protection is necessary. Wear rubber gloves. The breakthrough time of the selected glove(s) must be greater than the intended use period.
Engineering Controls	Supplementary local exhaust may be needed in poorly ventilated areas or when transferring large quantities.
Other Work Practices	Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

9. Physical and chemical properties

Appearance	Color varies Powder
Odor	Mild dairy or earthy like when wet.
Odor threshold	Not determined
pH	>10 as applied.
Melting point / freezing point	Not Measured
Initial boiling point and boiling range	Not Measured
Flash Point	Not Measured
Evaporation rate (Ether = 1)	Not Measured
Flammability (solid, gas)	Not Applicable
Upper/lower flammability or explosive limits	Lower Explosive Limit: Not Measured Upper Explosive Limit: Not Measured
Vapor pressure (Pa)	Not Measured
Vapor Density	Not Measured
Specific Gravity	Not Measured
Solubility in Water	Not Measured
Partition coefficient n-octanol/water (Log Kow)	Not Measured
Auto-ignition temperature	Not Measured
Decomposition temperature	Not Measured
Viscosity (cSt)	Not Measured
9.2. Other information	No other relevant information.

10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Safety Data Sheet
SafePaint (Milk Paint for Walls and More)

SDS Revision Date:

07/02/2015



Stable at ambient temperatures.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

No data available.

10.5. Incompatible materials

Incompatible with strong acids and alcohols (ethanol)

10.6. Hazardous decomposition products

No hazardous decomposition data available.

11. Toxicological information

Acute toxicity

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Trade Secret (1) - (Proprietary)	No data available	No data available	No data available	No data available	No data available
Natural Clay Fillers - (Proprietary)	No data available	No data available	No data available	No data available	No data available
Caseins, sodium complexes - (9005-46-3)	No data available	No data available	No data available	No data available	No data available
Trade Secret (2) - (Proprietary)	5,000.00, Rat - Category: 5	No data available	No data available	2.50, Mouse - Category: 4	No data available
Calcium hydroxide (Ca(OH) ₂) - (1305-62-0)	7,340.00, Rat - Category: NA	No data available	No data available	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)	---	Not Applicable
Acute toxicity (dermal)	---	Not Applicable
Acute toxicity (inhalation)	---	Not Applicable
Skin corrosion/irritation	---	Not Applicable

Safety Data Sheet
SafePaint (Milk Paint for Walls and More)

SDS Revision Date:

07/02/2015



Serious eye damage/irritation	---	Not Applicable
Respiratory sensitization	---	Not Applicable
Skin sensitization	---	Not Applicable
Germ cell mutagenicity	---	Not Applicable
Carcinogenicity	---	Not Applicable
Reproductive toxicity	---	Not Applicable
STOT-single exposure	---	Not Applicable
STOT-repeated exposure	---	Not Applicable
Aspiration hazard	---	Not Applicable

12. Ecological information

12.1. Toxicity

Toxic to aquatic life with long lasting effects.

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Trade Secret (1) - (Proprietary)	Not Available	Not Available	Not Available
Natural Clay Fillers - (Proprietary)	Not Available	Not Available	Not Available
Caseins, sodium complexes - (9005-46-3)	Not Available	Not Available	Not Available
Trade Secret (2) - (Proprietary)	1.10, Oncorhynchus mykiss	0.098, Daphnia magna	0.042(72hr), Pseudokirchneriella subcapitata
Calcium hydroxide (Ca(OH) ₂) - (1305-62-0)	33.884, Clarias gariepinus	Not Available	Not Available

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

Safety Data Sheet
SafePaint (Milk Paint for Walls and More)

SDS Revision Date:

07/02/2015



12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

13. Disposal considerations

13.1. Waste treatment methods

Comply with all Federal, State and Local regulations. Disposal to municipal or industrial waste plants normally requires approval from these authorities before disposal. This product may cause dusting when agitated. For large quantities: Disposal through licensed waste disposal facilities is suggested.

14. Transport information

	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
14.1. UN number	Not Applicable	Not Regulated	Not Regulated
14.2. UN proper shipping name	Not Regulated	Not Regulated	Not Regulated
14.3. Transport hazard class(es)	DOT Hazard Class: Not Applicable	IMDG: Not Applicable Sub Class: Not Applicable	Air Class: Not Applicable
14.4. Packing group	Not Applicable	Not Applicable	Not Applicable
14.5. Environmental hazards			
IMDG	Marine Pollutant: Yes (Trade Secret (2))		
14.6. Special precautions for user	No further information		

15. Regulatory information

Regulatory Overview	The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.
Toxic Substance Control Act (TSCA)	All components of this material are either listed or exempt from listing on the TSCA Inventory.
WHMIS Classification	Not Regulated
US EPA Tier II Hazards	Fire: No Sudden Release of Pressure: No Reactive: No Immediate (Acute): No

Safety Data Sheet
SafePaint (Milk Paint for Walls and More)

SDS Revision Date:

07/02/2015



Delayed (Chronic): No

EPCRA 311/312 Chemicals and RQs:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

Trade Secret (2)

Proposition 65 - Carcinogens (>0.0%):

Natural Clay Fillers

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

New Jersey RTK Substances (>1%):

Calcium hydroxide (Ca(OH)₂)

Natural Clay Fillers

Trade Secret (2)

Pennsylvania RTK Substances (>1%):

Calcium hydroxide (Ca(OH)₂)

Natural Clay Fillers

Trade Secret (2)

16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.

Safety Data Sheet
SafePaint (Milk Paint for Walls and More)

SDS Revision Date:

07/02/2015



The information contained herein relates only to specific materials identified. The Old Fashioned Milk Paint Co., Inc. believes that such information is accurate and reliable as of the date of this material safety data sheet, but no representation, guarantee or warranty, express or implied, is made as to the accuracy, reliability, or completeness of the information. The Old Fashioned Milk Paint Co., Inc. urges persons receiving this information to use the PRODUCT BULLETIN and DIRECTIONS as guidelines, and to make their own determination as to the information's suitability and completeness for their particular application.

End of Document